

Routine Antenatal Tests

Royal Brisbane & Women's Hospital



Queensland
Government
Queensland Health

PATHOLOGY

| | |
|---------------|---|
| Initial tests | <ul style="list-style-type: none">✓ Full blood count✓ Blood group and antibody screen✓ Syphilis serology✓ Rubella immunity✓ Hepatitis B surface antigen✓ Hepatitis C surface antigen✓ HIV✓ Urine dipstick and micro-urine if indicated |
| 28 weeks | <ul style="list-style-type: none">✓ Full blood count✓ Antibody screen✓ Glucose challenge test✓ Rh-ve patients to receive prophylactic anti-D if antibody screen is negative |
| 34 weeks | <ul style="list-style-type: none">✓ 2nd dose of prophylactic Anti-D for Rh-ve patients |
| 36 weeks | <ul style="list-style-type: none">✓ Full blood count✓ Antibody screen |

DIAGNOSTIC IMAGING

| | |
|----------------|--|
| 11-13+ 6 Weeks | <ul style="list-style-type: none">✓ Dating with nuchal fold translucency✓ Include biochemistry: PAPP-A Free beta HCG✓ Bloods to be done 3-4 days before scan |
| 18-20 Weeks | <ul style="list-style-type: none">✓ Routine morphology scan |

For further information please call the
RBWH Maternity Shared Care Coordinator
Ph 07 3636 1305

Supported by

